

M400 MAX LENGTH (IN) MAX WEIGHT (LB) 73 85

THESE DRAWINGS SHOW OUR INTERPRETATION OF THE PRINCIPAL PLANS AND SPECIFICATIONS. THEY ARE SUBMITTED AS CHECK PRINTS REQUIRING REVIEW AND POSSIBLE REVISIONS TO DETAILS AND/OR DIMENSIONS BEFORE FABRICATION OF MATERIALS CAN BEGIN, DRAWING PACKAGE MUST MATCH O.P.M. ORDER AND BE RETURNED SIGNED AND DATED. IF THERE ARE SIZE DISCREPANCIES BETWEEN THIS DRAWING PACKAGE AND O.P.M. ORDER, THESE DRAWING SUPERCEDE O.P.M. DIMENSIONS. IF CONSIDERABLY DIFFERENT, A RE-SUBMITTAL OF O.P.M. ORDER WILL BE REQUIRED. THIS SIGNATURE INDICATES PURCHASER'S FULL ACCEPTANCE OF DETAILS SHOWN AND THE PRODUCT IN CONFORMANCE TO SAME. THESE DESIGNS AND DRAWINGS ARE THE EXCLUSIVE PROPERTY OF SMOKE GUARD, INC. AND ARE NOT TO BE USED OR DUPLICATED WITHOUT PERMISSIONS. DRAWN: TLM 9.16.2020



287 N. Maple Grove Boise, ID 83704 800.574.0330 www.smokeguard.com

- M200/400 GENERAL NOTES:


 1. CLIENT TO PROVIDE CONTINUOUS MOUNTING SURFACE FOR STRUCTURAL AND SHEET METAL ATTACHMENT.
- 2. TOLERANCE: FLOOR TO CEILING VARIANCE MUST BE WITHIN +/- 1/2" ACROSS LENGTH OF MACHINE..
- ORDER LENGTHS TO BE AT 1/4" INCREMENTS ONLY.
- DIMENSIONS DO NOT INCLUDE HEADS OF EXTERNAL FASTENERS.

 5. SMOKE RATING FOR ENCLOSURE ABOVE HOUSING DESIGNED BY OTHERS.
- INTERNAL MOTORS ARE ACCESSIBLE
- THROUGH HOUSING OPENING WHEN UNIT IS

REVISION				
REVISION NUMBER	REVISION DATE	REVISION DESCRIPTION		
D1	9.16.20	INITIAL RELEASE		

ONFIGURATION: ----PROJECT: ----

DESIGN SET: D1	SIZE
MODEL: M400	В
SHEET TITLE: M400 DETAILS	SHEET





287 N. Maple Grove Boise, ID 83704 800.574.0330

www.smokeguard.com

- M200/400 GENERAL NOTES:
 1. CLIENT TO PROVIDE CONTINUOUS MOUNTING SURFACE FOR STRUCTURAL AND SHEET METAL ATTACHMENT.
- 2. TOLERANCE: FLOOR TO CEILING VARIANCE MUST BE WITHIN +/- 1/2" ACROSS LENGTH OF MACHINE..
- 3. ORDER LENGTHS TO BE AT 1/4" INCREMENTS ONLY.
- 4. DIMENSIONS DO NOT INCLUDE HEADS OF
- EXTERNAL FASTENERS.

 5. SMOKE RATING FOR ENCLOSURE ABOVE HOUSING DESIGNED BY OTHERS.

 6. INTERNAL MOTORS ARE ACCESSIBLE
- THROUGH HOUSING OPENING WHEN UNIT IS


REVISION			
REVISION NUMBER	REVISION DATE	REVISION DESCRIPTION	
D1	9.16.20	INITIAL RELEASE	

ONFIGURATION: ----PROJECT: ----DIST.: ----

DESIGN SET: D1 B ODEL: M400 M400 ELEVATION DETAILS

DRAWN: TLM 9.16.20

THESE DRAWINGS SHOW OUR INTERPRETATION OF THE PRINCIPAL PLANS AND SPECIFICATIONS. THEY ARE SUBMITTED AS CHECK PRINTS REQUIRING REVIEW AND POSSIBLE REVISIONS TO DETAILS AND/OR DIMENSIONS. BEFORE FABRICATION OF MATERIALS CAN BEGIN, DRAWING PACKAGE MUST MATCH O.P.M. ORDER AND BE RETURNED SIGNED AND DATED. IF THERE ARE SIZE DISCREPANCIES BETWEEN THIS DRAWING PACKAGE AND O.P.M. ORDER, THESE DRAWING SUPERCEDE O.P.M. DIMENSIONS. IF CONSIDERABLY DIFFERENT, A RE-SUBMITTAL OF O.P.M. ORDER, WILL BE REQUIRED. THIS SIGNATURE INDICATES PURCHASER'S FULL ACCEPTANCE OF DETAILS SHOWN AND THE PRODUCT IN CONFORMANCE TO SAME. THESE DESIGNS AND DRAWINGS ARE THE EXCLUSIVE PROPERTY OF SMOKE GUARD, INC. AND ARE NOT TO BE USED OR DUPLICATED WITHOUT PERMISSIONS.



M400 READY STATE DETAILS SCALE: 1/2" = 1'-0"

SMOKE GUARD[®]

287 N. Maple Grove Boise, ID 83704 800.574.0330

www.smokeguard.com

- M200/400 GENERAL NOTES:
 1. CLIENT TO PROVIDE CONTINUOUS MOUNTING SURFACE FOR STRUCTURAL AND SHEET METAL ATTACHMENT.
- 2. TOLERANCE: FLOOR TO CEILING VARIANCE MUST BE WITHIN +/- 1/2" ACROSS LENGTH OF MACHINE..
- 3. ORDER LENGTHS TO BE AT 1/4" INCREMENTS ONLY.
- 4. DIMENSIONS DO NOT INCLUDE HEADS OF
- EXTERNAL FASTENERS.

 5. SMOKE RATING FOR ENCLOSURE ABOVE HOUSING DESIGNED BY OTHERS.
- 6. INTERNAL MOTORS ARE ACCESSIBLE THROUGH HOUSING OPENING WHEN UNIT IS

REVISION		
REVISION NUMBER	REVISION DATE	REVISION DESCRIPTION
D1	9.16.20	INITIAL RELEASE

ONFIGURATION: ----PROJECT: ----

DESIGN SET: D1


ODEL: M400

1400 READY STATE DETAILS

DRAWN: TLM 9.16.2

B

THESE DRAWINGS SHOW OUR INTERPRETATION OF THE PRINCIPAL PLANS AND SPECIFICATIONS. THEY ARE SUBMITTED AS CHECK PRINTS REQUIRING REVIEW AND POSSIBLE REVISIONS TO DETAILS AND/OR DIMENSIONS. BEFORE FABRICATION OF MATERIALS CAN BEGIN, DRAWING PACKAGE MUST MATCH O.P.M. ORDER AND BE RETURNED SIGNED AND DATED. IF THERE ARE SIZE DISCREPANCIES BETWEEN THIS DRAWING PACKAGE AND O.P.M. ORDER, THESE DRAWING SUPERCEDE O.P.M. DIMENSIONS. IF CONSIDERABLY DIFFERENT, A RE-SUBMITTAL OF O.P.M. ORDER WILL BE REQUIRED. THIS SIGNATURE INDICATES PURCHASER'S FULL ACCEPTANCE OF DETAILS SHOWN AND THE PRODUCT IN CONFORMANCE TO SAME. THESE DESIGNS AND DRAWINGS ARE THE EXCLUSIVE PROPERTY OF SMOKE GUARD, INC. AND ARE NOT TO BE USED OR DUPLICATED WITHOUT PERMISSIONS.



M400 DEPLOYED DETAIL

SCALE: 1/2" = 1'-0"

THESE DRAWINGS SHOW OUR INTERPRETATION OF THE PRINCIPAL PLANS AND SPECIFICATIONS. THEY ARE SUBMITTED AS CHECK PRINTS REQUIRING REVIEW AND POSSIBLE REVISIONS TO DETAILS AND/OR DIMENSIONS. BEFORE FABRICATION OF MATERIALS CAN BEGIN, DRAWING PACKAGE MUST MATCH O.P.M. ORDER AND BE RETURNED SIGNED AND DATED. IF THERE ARE SIZE DISCREPANCIES BETWEEN THIS DRAWING PACKAGE AND O.P.M. ORDER, THESE DRAWING SUPERCEDE O.P.M. DIMENSIONS. IF CONSIDERABLY DIFFERENT, A RE-SUBMITTAL OF O.P.M. ORDER WILL BE REQUIRED. THIS SIGNATURE INDICATES PURCHASER'S FULL ACCEPTANCE OF DETAILS SHOWN AND THE PRODUCT IN CONFORMANCE TO SAME. THESE DESIGNS AND DRAWINGS ARE THE EXCLUSIVE PROPERTY OF SMOKE GUARD, INC. AND ARE NOT TO BE USED OR DUPLICATED WITHOUT PERMISSIONS.



287 N. Maple Grove Boise, ID 83704 800.574.0330 www.smokeguard.com

- M200/400 GENERAL NOTES:
 1. CLIENT TO PROVIDE CONTINUOUS MOUNTING SURFACE FOR STRUCTURAL AND SHEET METAL ATTACHMENT.
- 2. TOLERANCE: FLOOR TO CEILING VARIANCE MUST BE WITHIN +/- 1/2" ACROSS LENGTH OF MACHINE..
- 3. ORDER LENGTHS TO BE AT 1/4" INCREMENTS ONLY.
- 4. DIMENSIONS DO NOT INCLUDE HEADS OF
- EXTERNAL FASTENERS.

 5. SMOKE RATING FOR ENCLOSURE ABOVE HOUSING DESIGNED BY OTHERS.
- 6. INTERNAL MOTORS ARE ACCESSIBLE THROUGH HOUSING OPENING WHEN UNIT IS

REVISION			
REVISION NUMBER	REVISION DATE	REVISION DESCRIPTION	
D1	9.16.20	INITIAL RELEASE	


ONFIGURATION: ----PROJECT: ----DIST.: ----

ESIGN SET: D1 B ODFI: M400

400 DEPLOYED DETAILS

DRAWN: TLM 9.16.202





120 VAC BY OTHERS GRFFN--GROUND WHITE--NEUTRAL BLACK--HOT

LOW VOLTAGE CONNECTIONS -FROM SMOKE DETECTOR -BY OTHERS

120VAC

120 VAC POWER (60 HZ, 2A MAX): FOR MOTOR REWIND/RETRACTION OF SCREEN AFTER DEPLOYMENT. BY OTHERS: -PROVIDE CONDUIT AND WIRE -(AFTER UNIT IS INSTALLED) REMOVE TEMPORARY PLUG AND WIRE 120 VAC TO HIGH VOLTAGE WIRES IN THE JUNCTION BOX ON THE SIDE OF THE HOUSING -PROVIDE GROUND

> HOUSING JUNCTION BOX

HOUSING JUNCTION BOX (ACCESS THROUGH INSIDE OF HOUSING)

> THIS DRAWING ILLUSTRATES THAT UP TO 4 HOUSINGS CAN BE WIRED, IN PARALLEL, TO THE SAME END-OF-DIODE AT AN INITIATING DEVICE (SMOKE DETECTOR) AUXILIARY CONTACT.

HOUSING: SIDE VIEW

120VAC

SMOKE DETECTOR (UL 268 COMPLIANT) BY OTHERS: -PROVIDE A NORMALLY CLOSED AUXILIARY CONTACT THAT IS ACTIVATED WHEN THE SMOKE DETECTOR GOES INTO ALARM. THIS CONTACT DOES NOT ACTIVATE ON GENERAL BUILDING ALARM. NO VOLTAGE EXISTS ACROSS THE CONTACT -(WHEN THERE ARE MULTIPLE-UNIT SYSTEM IN A COMMON AREA THAT ARE ACTIVATED BY A SINGLE SMOKE DETECTOR); WIRE UP TO 4 SMOKE GUARD UNITS TO A SINGLE SMOKE DETECTOR, IN PARALLEL. MULTIPLE UNITS ON A COMMON FLOOR THAT ARE ACTIVATED BY THE SAME SMOKE DETECTOR REQUIRE ALARM CIRCUIT WIRING FROM THE DETECTOR TO EACH UNIT. THE PRINTED

CIRCUIT BOARD IN EACH HOUSING MUST SEE THE END-OF-LINE

END-OF-LINE DIODE: BY OTHERS: -INSTALL 3.9V OR 2 WATT END-OF-LINE DIODE (FURNISHED BY SMOKE GUARD) AT INITIATING DEVICE. -IN SERIES WITH THE NORMALLY CLOSED AUXILIARY CONTACT.

DIODE ON THE SMOKE DETECTOR.

ALARM CIRCUIT: (24 VDC ,40 MA IN MONITORING MODE: NO VOLTAGE OR AMPS IN ALARM MODE) BY OTHERS:

INITIATING DEVICE

END OF LINE DIODE BY S.G.

ALARM CIRCUIT

BY OTHERS

-PROVIDE AN ALARM CIRCUIT FROM THE NORMALLY CLOSED AUXILIARY CONTACT OF THE SMOKE DETECTOR TO THE LOW VOLTAGE WIRES IN THE JUNCTION BOX ON THE SIDE OF THE HOUSING, USING STRANDED WIRES, IN RACEWAYS OR CONDUIT.

-(AFTER UNIT IS INSTALLED) TERMINATE THE SMOKE DETECTOR WIRES TO LOW VOLTAGE WIRES IN THE JUNCTION BOX ON THE SIDE OF THE HOUSING.

M400 ELECTRICAL DETAILS SCALE: 1/2" = 1'-0"

120VAC

120VAC

INITIATING DEVICE

N.O.COMN.O

ALL WIRING BY OTHERS



287 N. Maple Grove Boise, ID 83704 800.574.0330 www.smokeguard.com

M200/400 GENERAL NOTES:

- CLIENT TO PROVIDE CONTINUOUS MOUNTING SURFACE FOR STRUCTURAL AND SHEET METAL ATTACHMENT
- 2. TOLERANCE: FLOOR TO CEILING VARIANCE MUST BE WITHIN +/- 1/2" ACROSS LENGTH OF MACHINE..
- ORDER LENGTHS TO BE AT 1/4" INCREMENTS ONLY.
- DIMENSIONS DO NOT INCLUDE HEADS OF EXTERNAL FASTENERS.
- SMOKE RATING FOR ENCLOSURE ABOVE HOUSING DESIGNED BY OTHERS
- INTERNAL MOTORS ARE ACCESSIBLE THROUGH HOUSING OPENING WHEN UNIT IS

REVISION REVISION DESCRIPTION INITIAL RELEASE

B

NFIGURATION: ---ROJECT: ----

ODFL: M400

ESIGN SET: D1

400 ELECTRICAL DETAIL

TLM 9.16.2 DRAWN:

THESE DRAWINGS SHOW OUR INTERPRETATION OF THE PRINCIPAL PLANS AND SPECIFICATIONS. THEY ARE SUBMITTED AS CHECK PRINTS REQUIRING REVIEW AND POSSIBLE REVISIONS TO DETAILS AND/OR DIMENSIONS BEFORE FABRICATION OF MATERIALS CAN BEGIN, DRAWING PACKAGE MUST MATCH O.P.M. ORDER AND BE RETURNED SIGNED AND DATED. IF THERE ARE SIZE DISCREPANCIES BETWEEN THIS DRAWING PACKAGE MUD O.P.M. ORDER THESE DRAWING SUPERCEDE O.P.M. DIMENSIONS, IF CONSIDERABLY DIFFERENT, A RE-SUBMITTAL OF O.P.M. ORDER WILL BE REQUIRED. THIS SIGNATURE INDICATES PURCHASER'S FULL ACCEPTANCE OF DETAILS SHOWN AND THE PRODUCT IN CONFORMANCE TO SAME. THESE DESIGNS AND DRAWINGS ARE THE EXCLUSIVE PROPERTY OF SMOKE GUARD, INC. AND ARE NOT TO BE USED OR DUPLICATED WITHOUT