VERTICAL DESIGN OPTIMAL ACOUSTICS



14 = ENDLESS PRODUCTS

Discover the Skyfold® family of products, vertically folding operable walls that unite design, performance, flexibility and acoustics. Lightweight, electric and easy to operate, all Skyfold systems are:

POSSIBILITIES

- **Acoustic** walls that exceed industry standards
- **Space** dividers that are self-retracting and made-to-measure
- **J** Decorative elements with distinctive, customizable design options



CLASSIC

PREMIUM

SKYFOL D® ADVANTAGES SUMMARY

LINES

SKYFOLD® CLASSIC SERIES

The Classic series was developed to meet the acoustic challenges of geometrically variable spaces, from the simple (offices, classrooms) to the complex (auditoriums with sloped or stepped floors).

Exceeding industry standards, the acoustic soundproofing indexes for Classic 51, 55 and 60 ensure privacy and confidentiality are respected from one space to another. The Classic NRC model also reduces ambient noise within meeting and conference rooms, increasing the user's comfort.

ACOUSTIC PERFORMANCE OF INSTALLED SYSTEMS


Classic 51	 Exceptional soundproofing (STC 51 / RW 51)
Classic 55	 Superior soundproofing (STC 55 / RW 54)
Classic 60	 Maximum soundproofing (STC 60 / RW 59)
Classic NRC	 Excellent sound absorption with a noise reduction
	coefficient (NRC/SAC) of up to 0.65 (STC 50 / RW 49)

CUSTOM DIMENSIONS

Width:	Unlimited	
Height:	Up to 36 feet (11m)	

FINISHES

Wood Veneer, Metal, Vinyl, Fabric, Plastic Laminate (Melamine), Painted, Mural, Marker Board Surface or create a custom design. (Classic NRC is available in acoustically transparent fabric only)



SKYFOLD ZENITH® SERIES

Zenith combines the vertically folding elements found in the Classic series at the top portion of the wall with a slick straight down descent thereafter.

Ideal for areas that may have wall obstructions which could limit the use of a vertically folding wall.

ACOUSTIC PERFORMANCE OF INSTALLED SYSTEMS

Zenith 48	 Excellent soundproofing (STC 48 / RW 47)
Zenith 51	 Exceptional soundproofing (STC 51 / RW 51)
Zenith 55	 Superior soundproofing (STC 55 / RW 54)
Zenith 60	 Maximum soundproofing (STC 60 / RW 59)
Zenith NRC	 Excellent sound absorption with noise reduction
	coefficient (NRC/SAC) of up to 0.65 (STC 50 / RW 49)

CUSTOM DIMENSIONS

Width:	Up to 48 feet (14.6m)	
Height:	Up to 12 feet (3.6m)	

FINISHES

Wood Veneer, Metal, Vinyl, Fabric, Plastic Laminate (Melamine), Painted, Mural, Marker Board Surface or create a custom design. (Zenith 48 – Skyfold Standard Fabric, Vinyl and White Marker Board surface finishes only) (Zenith NRC is available in acoustically transparent fabric only)



SKYFOLD **ZENITH**® **PREMIUM** SERIES

Zenith Premium series enhances the Zenith experience with seamless ceiling integration.

ACOUSTIC PERFORMANCE OF INSTALLED SYSTEMS

Zenith Premium 51	_ Exceptional soundproofing (STC 51 / RW 51)
Zenith Premium 55	_ Superior soundproofing (STC 55 / RW 54)
Zenith Premium 60	_ Maximum soundproofing (STC 60 / RW 59)
Zenith Premium NRC	Excellent sound absorption with noise reduction
	coefficient (NRC/SAC) of up to 0.65 (STC 50 / RW 49)

CUSTOM DIMENSIONS

 Width:
 Unlimited

 Height:
 Up to 14 feet (4.2m)

ADDITIONAL FEATURES

Pocket closure

Two LCD display touch screens with a multilingual interfaceFaster deployment time (versus regular Zenith model)

FINISHES

Wood Veneer, Metal, Vinyl, Fabric, Plastic Laminate (Melamine), Painted, Mural, Marker Board Surface or create a custom design. (Zenith Premium NRC is available in acoustically transparent fabric only)



SKYFOLD MIRAGE®

Mirage incorporates Skyfold technology in order to provide the user with the added luxury of transparency!

Clean lines, a lightweight structure into which a wide range of glass and plexiglass panels can be inserted, high efficiency acoustic seams, and ease of maintenance make Mirage the ideal solution for bright, sophisticated and welcoming spaces.

ACOUSTIC PERFORMANCE OF INSTALLED SYSTEM

Mirage _____ Single laminated glass (STC 33 / RW 33)

CUSTOM DIMENSIONS

 Width:
 Unlimited

 Height:
 Up to 24 feet (7.3m)

FINISHES

Glass available in a variety of finishes, including Plexiglass, Lexan[©], Bullet-Proof Glass, Frosted Glass.



AVAILABLE OPTIONS:

DIGITAL TOUCH SCREEN

4.3" (110 mm) color screen
Multilingual interface
Available on all models



LED LIGHTING

Available on all models except for the Mirage glass model







- **O1 ACOUSTICALLY SUPERIOR:** All Skyfold walls offer soundproofing indexes above and beyond industry standards. In addition, the measurable acoustic qualities apply to the entire installed system, not just the panels!
- **O2 SIMPLE:** Electric systems that work with a keypad operation!
- **O3 SPACE:** Valuable floor space is no longer compromised as Skyfold walls retract neatly into the ceiling when not required.
- **O4 DESIGN:** Create a unique look with a wide selection of materials and finishes that can be mixed and matched, with no visible mechanisms, floor or wall tracks.
- 05 ECONOMICAL: Requires little manpower and minimal maintenance.
- **O6 FAST:** Skyfold lets you reconfigure a space in mere minutes.
- **O7 QUIET:** Silent operation create a banquet hall without disturbing the conference going on right next door!
- **O8 LIGHTWEIGHT:** Thanks to an ingenious structural design using less steel, Skyfold operable walls are lighter than most traditional systems.
- **O9 FLEXIBILITY:** Customized for your space, our systems adapt to all types of environments, whether large or small, simple or complex (sloped gymnasiums, stepped-floor auditoriums, stairs, etc.).
- 10 **RELIABILITY:** Skyfold walls are durable and built to ensure many years of dependable operation. We stand behind our products by offering an industry leading 10 year warranty!

SKYFOLD PRODUCT LINE COMPARISON SUMMARY

	SKYFOLD CLASSIC SERIES				SKYFOLD ZENITH SERIES				SKYFOLD ZENITH PREMIUM SERIES				SKYFOLD MIRAGE	
	Model 51	Model 55	Model 60	Model NRC	Model 48	Model 51	Model 55	Model 60	Model NRC	Model 51	Model 55	Model 60	Model NRC	Glass Model
TECHNICAL (IMPERIAL)														
STC (System)	51	55	60	50	48	51	55	60	50	51	55	60	50	33
STC (Panel)	61	61	66	60	57	61	61	66	60	61	61	66	60	36(5)
NRC (System)	-	-	-	Up to 0.65	-	-	-	-	Up to 0.65	-	-	-	Up to 0.65	-
Max Height (ft.)	36	36	28	36	12	12	12	12	12	14	14	14	14	24
Max Length (ft.)	Unlimited	Unlimited	Unlimited	Unlimited	48	48	48	48	48	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Weight (lbs/sq.ft.)	7	7.6	9.4	7.5	6	6.2	6.8	8.6	6.5	6.2	6.8	8.6	6.5	7.5
Available Finishes	Various ⁽¹⁾	Various ⁽¹⁾	Various ⁽¹⁾	Fabric only ⁽⁴⁾	Limited ⁽³⁾	Various ⁽¹⁾	Various ⁽¹⁾	Various ⁽¹⁾	Fabric only ⁽⁴⁾	Various ⁽¹⁾	Various ⁽¹⁾	Various ⁽¹⁾	Fabric only ⁽⁴⁾	Various ⁽²⁾
Ceiling space required for storage (ft.) - (approx.)	2'-0" to 6'- 4"	2'-0" to 6'- 4"	2'-0" to 5'-0"	2'-0" to 6'-4"	2'-0" to 2'-8.25"	2'-0" to 2'-10"	2'-0" to 2'-10"	2'-0" to 2'-10"	2'-0" to 2'-10"	3'-2" to 4'-9"				
Pocket Width (ft.) - (approx.)	55" to 69"	55" to 69"	55" to 69"	55" to 69"	55" to 63.5"	56.25" to 70"	56.25" to 70"	56.25" to 70"	56.25" to 70"	44" to 61"				
TECHNICAL (METRIC)														
RW (System)	51	54	59	49	47	51	54	59	49	51	54	59	49	33
RW (Panel)	60	60	64	58	55	60	60	64	58	60	60	64	58	36 ⁽⁵⁾
SAC (System)	-	-	-	Up to 0.65	-	-	-	-	Up to 0.65	-	-	-	Up to 0.65	-
Max Height (mm)	11,000	11,000	8,535	11,000	3,660	3,660	3,660	3,660	3,660	4,265	4,265	4,265	4,265	7,315
Max Length (mm)	Unlimited	Unlimited	Unlimited	Unlimited	14,600	14,600	14,600	14,600	14,600	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Weight (kg/m²)	34.2	37.1	46	36.6	29.3	30.4	33.3	42	32.8	30.4	33.3	42	32.8	36.6
Available Finishes	Various ⁽¹⁾	Various ⁽¹⁾	Various ⁽¹⁾	Fabric only ⁽⁴⁾	Limited (3)	Various ⁽¹⁾	Various ⁽¹⁾	Various ⁽¹⁾	Fabric only ⁽⁴⁾	Various ⁽¹⁾	Various ⁽¹⁾	Various ⁽¹⁾	Fabric only ⁽⁴⁾	Various ⁽²⁾
Ceiling space required for storage (mm) - (approx.)	615 to 1,960	615 to 1,960	615 to 1,530	615 to 1,960	615 to 820	615 to 865	615 to 865	615 to 865	615 to 865	965 to 1,450				
Pocket Width (mm) - (approx.)	1,400 to 1,750	1,400 to 1,750	1,400 to 1,750	1,400 to 1,750	1,400 to 1,615	1,430 to 1,780	1,430 to 1,780	1,430 to 1,780	1,430 to 1,780	1,105 to 1,550				
ADDITIONAL FEATURES														
Auto-reverse	Y	Y	Y	Y	Y	Y	Y	Ŷ	Y	Y	Ŷ	Ŷ	Y	Y
Floor track	N	N	Ν	Ν	N	Ν	Ν	Ν	Ν	N	Ν	N	N	N
Wall tracks	N	N	N	Ν	N	Ν	Ν	Ν	Ν	N	Ν	N	N	Y
Obstruction Safety Sensor	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N
Infrared Sensor	N	Ν	N	N	N	Ν	Ν	Ν	Ν	N	Ν	N	Ν	Y
Back-Up Operation	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Pocket Closure	N	N	Ν	N	N	Ν	Ν	Ν	Ν	Y	Ŷ	Ŷ	Y	N
AVAILABLE OPTIONS														
10-year parts warranty	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Digital Touch Screen	Y	Y	Y	Y	Y	Y	Y	Y	Y	Included	Included	Included	Included	Y
LED Lighting	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N

Please note that certain figures listed above were approximated for comparison purposes only.

For specific and complete technical information, REVIT Drawings and drawing details, please visit our website.

- ⁽¹⁾ Finishes must not exceed 1/8" thick (3mm) or weigh more than 0.11 lbs/sq.ft. (0.54 kg./m²)
- ⁽²⁾ Please refer to the technical section of our website for available finishes


⁽³⁾ Available finishes include standard vinyl/fabric or white marker board surface finish

⁽⁴⁾ Available in acoustically transparent fabric only

⁽⁵⁾ Single laminated glass



SKYFOLD DEPLOYMENT TIME REQUIRED COMPARED TO CONVENTIONAL OPERABLE WALLS



SKYFOLD PRODUCT LINE COMPARISON SUMMARY

SKYFOLD'S EXCLUSIVE LINE OF VERTICALLY FOLDING OPERABLE WALL SYSTEMS PROVIDE A UNIQUE WAY TO SUBDIVIDE SPACE. OUR CUSTOM BUILT SYSTEMS ARE COMPLETELY AUTOMATIC AND RETRACT INTO A CEILING CAVITY WITH A SIMPLE KEYPAD OPERATION.

CLASSIC SERIES

State-of-the-art acoustics for privacy and soundproofing

ZENITH SERIES

Cutting-edge, innovative vertical wall technology

ZENITH PREMIUM SERIES

Enhances the Zenith experience!

MIRAGE

Brings in the light with your choice of transparent panels

Skyfold is pleased to be an official member of the U.S. Green Building Council. The Green Council is committed to promoting better designed buildings that are not only more environmentally and socially responsible, but also help improve the quality of life for those who occupy them and the communities in which they are built. The Council has developed a benchmarking system known as LEED (Leadership in Energy & Environmental Design). When it comes to recycled materials, architects and owners who choose a Skyfold vertically folding operable wall system can calculate the following toward LEED accreditation on their projects.

In order to continue protecting our environment, it is essential that we all do our part by using recycled materials whenever possible. Skyfold is proud to help.



 Recycled materials
 Up to 97%

 Post-consumer
 Up to 27%

 Pre-consumer
 Up to 51%



SKYFOLD[®] LIMITED WARRANTY WORKMANSHIP: Parts & labour - 2 years or 5,000 cycles* Optional extended warranty on parts available - 10 years or 5,000 cycles* Acoustical Performance - 10 years 'First occurrence from date of shipment. Digital touch screen excluded from extended warranty.

SKYFOLD[®], SKYFOLD[®] Classic[™], SKYFOLD Zenith[®] and SKYFOLD Mirage[®] are registered trademarks of Skyfold Inc. and Skyfold Investments Ltd.

For more information visit our website or contact us directly.

MAIN OFFICE	T +1
325 Lee Avenue	F +1
Montreal, Quebec	info@
CANADA H9X 3S3	www

T +1 (514) 457-4767 F +1 (514) 457-7111 info@skyfold.com www.skyfold.com





DISTRIBUTOR: New York, New Jersey, and greater Philadelphia area

ModernfoldStyles,Inc. 15 Empire Boulevard South Hackensack, NJ 07606 Main:201.329.6226 NewYork: 212.684.4210 Long Island: 516.292.4100

802 King Avenue Cherry Hill, NJ 08002 Southern NJ / PA: 856.665.1488

www.modernfoldstyles.com