



## SYSTEM THRESHOLDS

#### **Maximum / Minimum Specifications**

Max Panel Weight:	660 lbs each panel
Min Panel Width:	18"
Max Panel Width:	96"
Min Panel Height:	24"
Max Panel Height:	188"
Panel Thickness:	2-1/4"
Max # of Panels:	Unlimited

**NOTE:** When using maximum panel widths & heights, panels may exceed maximum panel weight of 660 lbs. Calculated weight check should be done.

## SYSTEM HIGHLIGHTS

Top hung stacking glass doors create a strong, safe and secure way of effortlessly opening and closing your entrance while maintaining the aesthetic appeal of your residential or commercial space. Stacking glass doors provide uninterrupted views, whether open or closed. They slide, pivot and stack in a similar style to bi-folding doors and stack against the walls or into pocket locations at either end of the opening.

#### **Panel Options**

The Euro Vista Stack™ can be built as framed units (standard door panels) or frameless units (all glass panels with a narrow top and bottom rail)

#### Configuration

The Euro Vista Stack can be stacked to the right, left or both right and left as a two component door system

#### Hardware

Non-corrosive material / stainless steel available

#### Twinpoint Hardware

Stainless steel (304SS) and aluminum components

### 16' Tall Panel Flexibility

The massive panel height abilities make the Vista Stack an ideal solution for residences, store fronts, stadiums, private suites, restaurants, room dividers and more

#### **Frame Material Options**

Aluminum and aluminum with wood cladding

#### **Stacking Options**

Standard stacking options are 90° perpendicular, parallel, 135° parallel (see next page for details) - custom stacking options are also available

#### **Pivot Door Option**

Certain stacking configurations allow the application of an active pivot door with a 5 point locking system (3 hooks + top & bottom shootbolts)

#### Sills

Does not require a threshold / floor track


#### **Matching Fixed Units**

Matching transom and sidelite units available




## SYSTEM COMPONENTS


Framed Stacking System Shown



## STACKING / PARKING OPTIONS

The Euro Vista Stack™ allows all of the visible panels to be stacked to one side or two sides of a door opening allowing for maximum uninterrupted views. Custom stacking solutions available in addition to our standard parking options shown here.





## ALUMINUM PANEL FINISH OPTIONS

#### STANDARD FRAME & ALUMINUM PANEL FINISHES



- Powder coat or Kynar<sup>®</sup> finishes available
- · Custom powder coat or Kynar® finishes available
- Manufacturer color match options
- · Custom wood grain finishes available

#### INTERIOR WOOD CLAD FINISH OPTION

- · Mahogany / sapele
- · White oak
- Additional wood species available



#### STANDARD WOOD CLADDING FINISHES





White Oak

Mahogany / Sapele

In addition to the two standard cladding finishes, Euro-Wall's Euro Vista Stack $^{\text{TM}}$  can be finished with a wide variety of other exotic species. Please see page 7 of this brochure for additional custom wood cladding options.

**NOTE:** The Euro Vista Stack™ is available in the following panel options:

Aluminum

Aluminum with Wood Clad

## HARDWARE / HANDLE FINISH OPTIONS

#### **HARDWARE**




Available Finishes
Brushed Satin
Bronze
Black

#### **TWINPOINT**



Available Finishes
White
Brushed Satin
Bronze
Black
Custom Colors Available


## CONFIGURATION SAMPLES




fit your commercial or residential needs. Please call one of our product specialists for custom configuration consultation. 1.888.989.3876

# SUPERIOR BY DESIGN

## FRAMED STACKING PANEL CROSS SECTION



## FRAMELESS STACKING PANEL CROSS SECTION



## **GLAZING OPTIONS**

#### Framed Panel Glass Options


- 1/4" Tempered
- 9/16" Laminated
- 1" IG
- 1" IG Laminated

#### Frameless Panel Glass Options

- 3/8" Tempered
- 1/2" Tempered
- 1/2" Laminated


## ADDITIONAL OPTIONS

## OPTIONAL FIXED UNIT / TRANSOM



#### **FIXED UNITS**

Fixed units are a great way to add more light in and / or to enhance the aesthetic of your stacking door. Fixed units can be fabricated as stand alone windows or to match any Euro-Wall stacking door system. Euro-Wall fixed unit / transoms are constructed with high grade 6063-T5 aluminum and are thermally broken. Fixed units are available in aluminum or aluminum with wood cladding construction finishes. The Euro Vista Fixed Unit™ can be tailor made to fit your needs.



## **CUSTOM WOOD CLADDING OPTIONS**



African Rosewood



Ash



Birch




Curly Maple



Mahogany / Sapele



Red Oak




Walnut



White Oak



Zebrawood



### **EURO-WALL 10 YEAR WARRANTY**

Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years from the date of purchase.

888.989.EURO (3876) W W W . e u r o - w a l l . c o m

#### **MANUFACTURING**

2200 Murphy Court North Port, Florida 34289 888.989.3876 • 941.979.5316

## euro-waii

FOLDING | SLIDING | STACKING | PIVOT

#### **SHOWROOM**

1211 Stirling Road, Unit 102, Dania Beach, Florida 33004 954.610.2572

Proud Member of the American Architectural Manufacturers Association.

