















Comfortable & Captivating






Looking to add the perfect blend of beauty and performance to your space? Vista Fold™ thermally broken impact and non-impact folding door systems are the clear choice. Now you can have unobstructed views and seamless transitions to the outside with increased energy efficiency. Engineered with precision, these doors feature a thermal barrier that effectively reduces heat and cold transfer, maintaining comfortable indoor temperatures while minimizing energy consumption. Our innovative folding components optimize your space, bringing the outdoors in. With sleek aluminum frames that provide strength and durability, these doors are a testament to modern design and sustainable living.

At Euro-Wall, everything we do is Superior by Design. We constantly push ourselves to provide the highest quality doors with the largest views to give you the freedom to design without limitations.





System Thresholds

MAXIMUM / MINIMUM SPECIFICATIONS

MAX. PANEL WEIGHT
MAX. PANEL HEIGHT
MAX. PANEL WIDTH
MIN. PANEL HEIGHT
MIN. PANEL WIDTH
MAX. OPENING

IMPACT RATED	NON-IMPACT RATED
350 lbs	350 lbs
144"	169"
54"	54"
20"	20"
20"	20"
334 ft ²	UNLIMITED

Note: When using maximum panel widths & heights, panels may exceed maximum panel weight of 350 lbs. Calculated weight check should be done. For installations in Florida, please see the Florida Product Approval (#27023) for usage and limitations.



10-Year Limited Warranty

Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years.










Sill Options









CHANNEL SILL Not Thermally Broken

Finish Options

STANDARD FRAME & DOOR PANEL FINISHES











Clear Anodized

Standard finish is Sunstorm Arcadia Silver (Kynar® Amma 2605)

FRAME & DOOR PANEL FINISHES

- · Kynar® Liquid Paint or Powder Coat finishes available
- · Custom powder coat or Kynar® finishes available
- · Custom faux woodgrain finishes available

INTERIOR WOOD CLAD FINISH OPTION

- Mahogany / sapele
- · White oak
- · Additional wood species available



Hardware / Handle Finish Options

Custom handle options available

MULTIPOINT LOCK HANDLE



Polished Stainless Steel **Brushed Satin** Bronze Black

TWINPOINT LEVER



Sunstorm Arcadia Silver White **Brushed Satin** Bronze Black Custom Colors Available

HINGES / HARDWARE




Brushed Satin Bronze Black


Note: The colors shown are an approximation of actual colors and finishes. Actual finishes may vary slightly.



Standard Configurations



Specialty Configurations





Glazing Details


OVERALL GLASS THICKNESS 1/4" | 3/8" | 1/2" | 9/16" | 1"

We can handle most any type of glass if it meets the required thickness. Let's talk.

9/16" LAMINATED GLASS PROFILE SHOWN

Stile Top Bottom Rail


1" INSULATED GLASS PROFILE SHOWN



Panel Cross Section

OUTSWING CONFIGURATION SHOWN

Standard Sill Shown









Test Performance

IMPACT

Air Infiltration: ASTM E283-04

Water Infiltration: ASTM E331-00

Wind Load: TAS 202-94

Large Missile Impact: TAS 201-94

Cyclic Load: TAS 203-94

Forced Entry: AAMA 1304-18

NON-IMPACT

Air Infiltration: ASTM E283-04

Structural Performance: ASTM E330-02

Water Infiltration: ASTM E547-00 Forced Entry: AAMA 1304-02







#27023

DESIGN PRESSURE CHARTS

HVHZ & Wind Zone 3

Panel Width

	26	30	34	36	38	39	42	45	46	48	50	54
72	50	50	50	50	50	50	50	50	50	50	50	50
78	50	50	50	50	50	50	50	50	50	50	50	50
84	50	50	50	50	50	50	50	50	50	50	50	50
90	50	50	50	50	50	50	50	50	50	50	50	50
91	50	50	50	50	50	50	50	50	50	50	50	50
96	50	50	50	50	50	50	50	50	50	50	50	50
97	50	50	50	50	50	50	50	50	50	50		
102	50	50	50	50	50	50	50	50	50	50		
103	50	50	50	50	50	50	50	50	50	50		
108	50	50	50	50	50	50	50	50	50	50		
109	50	50	50	50	50	50	50	50				
114	50	50	50	50	50	50	50	50				
115	50	50	50	50	50	50	50					
120	50	50	50	50	50	50	50					
121	50	50	50	50	50	50						
126	50	50	50	50	50	50						
127	50	50	50	50	50	50						
132	50	50	50	50	50	50						
133	50	50	50	50								
138	50	50	50	50								
139	50	50	50	50								
144	50	50	50	50								

Non-Impact

Panel Width

							-					
72	50	50	50	50	50	50	50	45.7	45.7	42	42	38.9
78	50	50	50	50	50	50	50	45.7	45.7	42	42	38.9
84	50	50	50	50	50	50	50	45.7	45.7	42	42	38.9
90	50	50	50	50	50	50	50	45.7	45.7	42	42	38.9
91	50	50	50	50	50	50	50	45.7	45.7	42	42	38.9
96	50	50	50	50	50	50	50	45.7	45.7	42	42	38.9
97	50	50	50	50	50	50	50	45.7	45.7	42	42	38.9
102	50	50	50	50	50	50	50	45.7	45.7	42	42	38.9
103	50	50	50	50	50	50	50	45.7	45.7	42	42	38.9
108	50	50	50	50	50	50	50	45.7	45.7	42	42	
109	50	50	50	50	50	50	50	45.7	45.7	42	42	
114	50	50	50	50	50	50	50	45.7	45.7			
115	50	50	50	50	50	50	50	45.7	45.7			
120	50	50	50	47	47	42.9	42.9	39.5	39.5			
121	50	50	50	47	47	42.9	42.9	39.5	39.5			
126	50	50	44.9	40.5	40.5	36.9	36.9					
127	50	50	44.9	40.5	40.5	36.9	36.9					
132	50	43.9	39	35.1	35.1	32	32					
133	50	43.9	39	35.1	35.1	32	32					
138	44.1	38.4	34.1	30.7	30.7							
139	44.1	38.4	34.1	30.7	30.7							
144	38.8	33.8	30	27	27							
145	38.8	33.8	30	27	27							
151	34.3	29.9	26.5									
157	30.5	26.6	23.5									
163	27.3	23.7	21									
169	24.4	21.2	18.8									

Panel Height





IS YOUR vision BLOCKED?

If you have questions about
Vista Fold™, our FOR YOU
Crew™ is always ready to
clear things up with friendly,
one-on-one support.











euro-wall.com

f h X @ P in

American Made.

MANUFACTURING & SHOWROOM

2200 Murphy Ct. North Port, FL 34289 888.989.EURO (3876)

SHOWROOM

1211 Stirling Rd., Unit 102, Dania Beach, FL 33004 941.979.5316 EURO-WALL UNLOCKS breathtaking perspectives
THROUGH THE largest, strongest DOOR SYSTEMS
WITH THE MOST DESIGN OPTIONS – ALL BACKED
BY enjoyable, personal SUPPORT – FOR A superior
experience FROM OPEN TO CLOSE.





